



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/729,072      | 12/04/2000  | Jian Zhang           | 0088CN-58           | 6444             |

7590 04/08/2004

Joe Zheng  
Silicon Valley Patent Agency  
7394 Wildflower Way  
Cupertino, CA 95014

EXAMINER

CHOUDHURY, AZIZUL Q

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

2143

DATE MAILED: 04/08/2004

4

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/729,072

Applicant(s)

ZHANG ET AL.

Examiner

Azizul Choudhury

Art Unit

2143

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 04 December 2000.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☒ Claim(s) 3 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04 December 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

***Detailed Action***

***Claim Objections***

Claim 3 is objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim is made to claims 1 and 2. See MPEP § 608.01(n). Accordingly, the claim has not been further treated on the merits.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Oliver, Jr. (US Pat No: 4,814,869), hereafter referred to as Oliver.

1. With regards to claim 1, Oliver teaches a remote video surveillance server comprising: a number of channel interface units directed to field terminals for receiving video, audio and alarm signals in a surveillance site from said field terminals and transmitting the video, the audio and control information from view stations to said field terminals respectively, wherein one of said channel interface units comprises:

- a) a number of channel transceiver chips to communicate with said field terminals, connected to a logic control module through a data line and a clock line, for transmitting/receiving signals from a channel;
- b) a logic control module including a number of programmable devices, a single chip processor and a memory for receiving data from said channel transceiver chips through the data line and the clock line and transmitting the data to said channel transceiver chips, moreover, for receiving the data from the bus control module through the data line and the address line and transmitting the data to the bus control module, wherein said memory is connected to said programmable devices for buffering the data received from said channel transceiver and the data received from said bus control module; and
- c) a bus control module with one end connected to said logic control module and another end connected to a computer bus;
- d) an information process kernel including a computer and a software module and connected to said channel interface unit directed to said field terminal by said computer bus; and
- e) a number of view station interface units connected to said information process kernel by said computer bus.

(Oliver teaches a design providing video surveillance. In this design, there exists a series of cameras whose images captured are sent to a computer (column 2, lines 1-7, Oliver). Means for providing an alarm are present as is the ability to automatically obtain video from the site causing the alarm (column 2, lines 23-33, Oliver). In

addition, the traits described from subsections b and c are inherently available within computer systems. Oliver's design allows for the use of computers (column 2, lines 1-7, Oliver). Furthermore, the series of cameras of Oliver's design are attached to displays by means of other devices such as modulators and signal splitters. Each of the displays features tuners which are controlled by the computer (column 1, line 43 – column 2, line 7, Oliver). Hence, as claimed, the view station is interfaced with the computer. A computer which must contain a kernel and a bus).

2. With regards to claim 2, Oliver teaches a remote video surveillance server wherein one of said channel interface units comprises:

- two channel transceiver chips [a] and [b],
- programmable devices [a], [b], [c] and [d],
- the memory devices [a] and [b], and
- a single chip processor, wherein said channel transceiver chips [a] and [b] are connected to said programmable devices [a] and [d] respectively through the transmitting clock line Tck, transmitting data line TxD and receiving clock line Rck, receiving data line RxD, said programmable devices [a] and [b] are connected to said memory devices [a] and [b] respectively through the DATA BUS and the AD BUS, said memory devices [a] and [b] are connected to said programmable devices [b] and [c] respectively through the DATA BUS and the AD BUS, said programmable devices [b] and [c] are connected to the I/O bus in a said

single chip (CPU), and also connected to the DATA BUS and the AD BUS in a computer bus control chip, said single chip processor (CPU) is connected to the control bus and the status bus in said computer bus control chip through its I/O bus, and said computer bus control chip is connected to said computer bus.

(A server is a computer. All the traits claimed with the claim are commonly found in computers. Oliver's design allows for computers (column 2, lines 1-7, Oliver). It is further inherent that such features will be present within the computer of Oliver's design since the computer is applied for video surveillance purposes as well).

3. With regards to claim 3, Oliver teaches a remote video surveillance server in accordance with claim [1 or] 2, wherein said channel transceiver chip is an E1 or a DDN or an ISDN transceiver chip, said programmable device is a CPLD or a FPGA or a DSP, said memory is a single chip dual-ported RAM or a two chips RAM, said computer bus is an ISA bus or a PCI bus (Oliver's disclosure reveals that computers are allowed (column 2, line 1, Oliver). Transceiver chips and programmable devices are common in computers. It is further inherent that such features will be present within the computer of Oliver's design since the computer is applied for video surveillance purposes as well).

4. With regards to claim 4, Oliver teaches a remote video surveillance server wherein said channel transceiver chip is an E1 or a DDN or an ISDN transceiver chip, said

programmable device is a CPLD or a FPGA or a DSP, said memory is a single chip dual-ported RAM or a two chips RAM, said computer bus is an ISA bus or a PCI bus (As stated above, a server is a computer. The traits claimed are common to computers and Oliver's design allows for the use of a computer (column 2, lines 1-7, Oliver). It is further inherent that such features will be present within the computer of Oliver's design since the computer is applied for video surveillance purposes as well).

5. With regards to claim 5, Oliver teaches a remote video surveillance server comprising:

- a number of channel interfaces units, each of the channel interfaces units coupled to a field terminal and receiving data from the field terminal, wherein each of the channel interfaces units comprises at least a channel transceiver to communicate with the field terminal and buffer the data in a memory,
- a network interface coupled to a data network; and
- an information process kernel coupled between the channel interfaces units and the network interface; the information process kernel executing instructions to process the data from the memory for transporting over the data network; wherein a number of view stations are coupled to the data network to receive the data for display thereon.

(Oliver teaches a design providing video surveillance. In this design, there exists a series of cameras whose images captured are sent to a computer (column 2, lines 1-7, Oliver). Means for providing an alarm are present as is the ability to automatically

obtain video from the site causing the alarm (column 2, lines 23-33, Oliver). In addition, the traits described are commonly available within computer systems. These include the existence of NICs (network interface cards), kernels, memory, busses and data transferring, processing and buffering means. Oliver's design allows for the use of computers (column 2, lines 1-7, Oliver). Furthermore, the series of cameras of Oliver's design are attached to displays by means of other devices such as modulators and signal splitters. Each of the displays features tuners which are controlled by the computer (column 1, line 43 – column 2, line 7, Oliver). Hence, as claimed, the view station is interfaced with the computer).

6. With regards to claim 6, Oliver teaches a remote video surveillance server wherein each of the channel interfaces units further comprises:

- at least one channel transceiver chip;
- at least one programmable device;
- a processor, coupled to the at least one channel transceiver chip and the at least one programmable device and controlled under a clock signal, for synchronizing the at least one channel transceiver chip and the at least one programmable device to cause the data to be transferred into the memory and read the data out of the memory onto a data bus when one of the view stations is controlled to display the data.

(Oliver teaches a design providing video surveillance. In this design, there exists a series of cameras whose images captured are sent to a computer (column 2,



lines 1-7, Oliver). Means for providing an alarm are present as is the ability to automatically obtain video from the site causing the alarm (column 2, lines 23-33, Oliver). In addition, the traits described are commonly available within computer systems. These include the existence of programmable devices, transceiver chips (NICs), processor, clock, busses, and data transferring, processing and buffering means. Oliver's design allows for the use of computers (column 2, lines 1-7, Oliver). It is further inherent that such features will be present within the computer of Oliver's design since the computer is applied for video surveillance purposes as well).

7. With regards to claim 7, Oliver teaches a remote video surveillance server wherein the data network is one or more Ethernet (E1) and local area network (LAN).

(Oliver's disclosure teaches the use of computers with a video surveillance system (column 2, lines 1-7, Oliver). In addition, Oliver discloses that transmission paths are used by which, to permit video transmissions (column 1, lines 43-60, Oliver). This includes coaxial cables or other acceptable means of video data transmission (column 4, lines 7-22, Oliver). This allows for Ethernet and LAN to be acceptable means of video data transfer).

8. With regards to claim 8, Oliver teaches a remote video surveillance server wherein the network interface formats the data for transmission over the data network in accordance with a standard supported by the data network (Oliver discloses a design

where video data is transferred (column 1, lines 43-60, Oliver). When any data is transferred, a preset protocol must be used).

9. With regards to claim 9, Oliver teaches a remote video surveillance server wherein the instructions when executed causes the processor to: write the data to a PCI bus; map an address on the PCI bus to an internal bus through an address mapping register; and store the data in the memory when the internal bus is detected idle (The claimed steps are common steps performed on computers when handling data. Computers are present in Oliver's design (column 2, lines 1-7, Oliver)).

10. With regards to claim 10, Oliver teaches a remote video surveillance server wherein the instructions when executed causes the processor further to: read the data out the memory when receiving a data channel number identifying the field terminal; and transmit the data over the data network through the network interface (If data is to be transmitted in a computer, the claimed steps would be performed. As stated earlier, Oliver's design allows for computers (column 2, lines 1-7, Oliver)).

11. With regards to claim 11, Oliver teaches a remote video surveillance server wherein the memory is a dual-ported random access memory (Oliver discloses that the computer within the design uses memory, as all other computers do (column 2, lines 57-68, Oliver). Furthermore, Oliver discloses that variations may be made to the design without departing from the spirit or scope of the design (column 4, lines 7-22, Oliver).

Hence memory is allows in Oliver's design and dual-ported memory is permissible in Oliver's design).

12. With regards to claim 12, Oliver teaches a remote video surveillance server wherein the data represents audio and video signals from the field terminal (Oliver teaches that video data is transferred (column 1, lines 43-60, Oliver). In addition, Oliver states that audio data is transferable as well (column 4, lines 7-22, Oliver)).

13. With regards to claim 13, Oliver teaches a remote video surveillance server wherein the data further include an alarm signal that causes the data to be transmitted to one of the view stations for display (Oliver's design has the claimed alarm means (column 2, lines 23-33, Oliver)).

14. With regards to claim 14, Oliver teaches a remote video surveillance server wherein the field terminal is remotely located with respect to the view stations (Oliver teaches that the cameras may be close or far (column 4, lines 7-22, Oliver). Hence, the computer of Oliver's design may be close or far, as needed).


### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Azizul Choudhury whose telephone number is 703-305-7209. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley can be reached on 703-308-5221. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AC

  
**DAVID WILEY**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 2100**